

EAST Search History

10/062992

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5,610,829".pn.	USPAT	OR	OFF	2006/07/26 10:16
L2	1	"6134705".pn.	USPAT	OR	OFF	2006/07/26 12:39
L6	1	"6925088".pn.	USPAT	OR	OFF	2006/07/26 13:17
L7	2672	sub\$1network and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:55
L8	3	(sub\$1network with (data adj structure) with stor\$4) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:19
L9	0	(sub\$1network with (data adj structure)) same database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:20
L10	9	(sub\$1network with (data adj structure)) and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:21
L11	0	(sub\$1network with (data adj structure) with circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:21
L12	0	(sub\$1network with (data with structure) with circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:22
L13	0	(sub\$1network with (data with structure) and (circuit with design)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:22
L14	74	(sub\$1network and (data with structure) and (circuit with design)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:34
L15	51	(sub\$1network and (data with structure) and (circuit with design)) and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:23
L16	45	(sub\$1network and (data adj structure) and (circuit with design)) and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:23
L17	0	(sub\$1network and (data adj structure) and (circuit with design)) same database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:23
L18	45	(sub\$1network and (data adj structure) and (circuit with design)) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:26

EAST Search History

L19	0	(sub\$1network with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:26
L20	0	(sub\$1net\$4 with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:27
L21	1	(sub\$1net\$4 same (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:46
L22	1	"5987086".pn.	USPAT	OR	OFF	2006/07/26 14:36
L23	1	"5526278".pn.	USPAT	OR	OFF	2006/07/26 14:44
L24	0	"20030217026"	USPAT	OR	OFF	2006/07/26 14:45
L25	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2006/07/26 14:45
L26	67	(sub\$1net\$4 and (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:46
L27	88	(sub\$1net\$4 and (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:47
L28	0	(sub\$1net\$4 with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:47
L29	1	(sub\$1net\$4 same (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:53
L30	3	(sub\$1net\$4 with (database)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:53
L31	678	sub\$1network and (data with structure) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:55
L32	69	sub\$1network and (data with structure) and (circuit with logic) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:56

EAST Search History

L33	66	sub\$1network and (data with structure) and (circuit with logic) and stor\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:56
L34	23	sub\$1network and (data with structure) and (circuit with logic) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:57
L35	3	sub\$1network and (data with structure) and (circuit with logic with design) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:10
L36	110	database and (data with structure) and (circuit with logic with design) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:11
L37	41	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:31
L38	1	"6993730".pn.	USPAT	OR	OFF	2006/07/26 15:31
L39	1	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn.	USPAT	OR	OFF	2006/07/26 15:39
L40	0	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn. and index	USPAT	OR	OFF	2006/07/26 15:33
L41	0	database and sub\$network and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn.	USPAT	OR	OFF	2006/07/26 15:39
L42	46	database and sub\$network and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:39
L43	0	(database with sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:40
L44	0	(database same sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:40

EAST Search History

L45	46	(database and sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:48
L46	1	"5959881".pn.	USPAT	OR	OFF	2006/07/26 17:05
S1	0	((("data storage structure" with sub\$net\$5) same (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/08/07 12:10
S2	0	((("data storage structure" same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/01/17 11:49
S3	0	((data same storage same structure same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/01/17 11:50
S4	10	((data same (storage or structure) same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/08/08 10:17
S5	1	((generat\$5 same sub\$net\$5) and (output adj function)) and parameter and stor\$3 and (IC or (integrated adj circuit))	USPAT	OR	OFF	2005/01/17 12:48
S6	3	("6115713" or "5687286" or "5453339").pn.	USPAT	OR	OFF	2005/01/17 12:49
S7	3	("6115713" or "5687286" or "5452239").pn.	USPAT	OR	OFF	2005/01/17 13:11
S8	0	stor\$4 same based same paramter same (output\$1function)	USPAT	OR	OFF	2005/01/17 13:14
S9	0	(stor\$4 same based) and (paramter same (output\$1function))	USPAT	OR	OFF	2005/01/17 13:14
S10	0	(stor\$4 same based) and (paramter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:15
S11	0	(stor\$4) and (paramter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:14
S12	38520	(stor\$4) and (parameter same (output adjfunction))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:14
S13	0	stor\$4 same based same parameter same (output\$1function)	USPAT	OR	OFF	2005/01/17 13:14
S14	0	(stor\$4 same based) and (parameter same (output\$1function))	USPAT	OR	OFF	2005/01/17 13:14

EAST Search History

S15	0	(stor\$4 same based) and (parameter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:15
S16	189	(stor\$4 same based) and (parameter same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:18
S17	56	S16 and (IC or (integrated adj circuit))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:17
S18	0	S16 and (IC or (integrated adj circuit)) and "is stored based on"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:16
S19	0	S16 and (IC or (integrated adj circuit)) and "stored based on"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:16
S20	17	(stor\$4 same based) and (parameter same derived same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:18
S21	0	"20030217026"	USPAT	OR	OFF	2005/08/07 12:19
S22	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2005/08/07 12:15
S23	5	("6140839" or "6587990" or "6594808" or "5493504" or "6687883").pn.	US-PGPUB; USPAT	OR	OFF	2005/08/07 12:19
S24	0	"20020079921"	USPAT	OR	OFF	2005/08/07 12:19
S25	1	"20020079921"	US-PGPUB; USPAT	OR	OFF	2005/08/07 12:36
S26	0	B42F and "13/00"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 21:32
S27	61	"13/00"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 21:33
S28	4	B42F	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:50
S29	434	sub\$network with function\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:51
S30	311	sub\$network with function\$1 and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:51
S31	3002480	sub\$network with function\$1with (perform\$5 or execut\$5) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:52

EAST Search History

S32	81	(sub\$network with function\$1 with (perform\$5 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:59
S33	60	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:08
S34	2	(sub\$network with output with function\$1 with (perform\$2 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:01
S35	22	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:12
S36	0	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (structure\$2 with stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:12
S37	6	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (data with stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:12
S38	1	"5933428".pn.	USPAT	OR	OFF	2005/08/08 10:07
S39	10	((data same (storage or structure) same sub\$net\$5) and (output adj function)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:23
S40	1	(sub\$net\$5 same (output adj functions)) and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:22
S41	919	(sub\$net\$5 same (output nearw2 functions)) and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:22
S42	26	((data same (storage or structure) same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:49
S43	2	((data same graphical same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:33
S44	1	"6134705".pn.	USPAT	OR	OFF	2005/08/08 10:43
S45	14	network with graph\$ with representation with storage	USPAT	OR	OFF	2005/08/08 10:44
S46	14	network with graph\$ with representation with storage and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:48

EAST Search History

S47	148790	((network nearw3 graph\$ nearw3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:49
S48	141030	((network nearw3 graph\$3 nearw3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:51
S49	808786	(network nearw3 graph\$3 nearw3 representation) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:50
S50	12	((network near3 graph\$3 near3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:06
S51	1	((network near3 graph\$3 near3 representation) with local) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:07
S52	10	((network near3 graph\$3 near3 representation) with topology) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:53
S53	0	((data same (storage or structure) same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131" and "716".ccls.	USPAT	OR	OFF	2005/08/08 11:49
S54	3353453	(sub\$1net\$5 with output with functions) @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:54
S55	5	(sub\$1net\$5 with output with functions) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 12:03
S57	1809	(net\$5 with output with functions) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 12:03
S59	2	(net\$5 near2 perform\$4 near2 output with functions) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 12:05
S60	0	(data adj structure) and (sub\$network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:48
S61	0	(data adj structure) and (sub\$network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:48
S62	137	(data adj structure) and (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:49
S63	36	(data adj structure) same (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/03 16:59

EAST Search History

S64	0	(data adj structure) same (sub\$network or hierarch\$6) same (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:49
S65	78	(data adj structure) same (sub\$network or hierarch\$6 or network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S66	0	(data adj structure) same (sub\$network or hierarch\$6 or network) same (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S67	78	(data adj structure) same (sub\$network or hierarch\$6 or network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S68	78	(data adj structure) same (sub\$network or hierarch\$6 or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S69	48	(data adj structure) same (sub\$network or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:51
S70	33	(data adj structure) with (sub\$network or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 17:15
S71	0	(data adj structure) with (sub\$network or network) same (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:51
S72	2	("6009251" or "5956257").pn.	USPAT	OR	OFF	2006/02/02 18:43
S73	4	("6009251" or "5956257" or "6134705" or "6272529").pn.	USPAT	OR	OFF	2006/02/03 14:57
S74	4	("6009251" or "5956257" or "6134705" or "6272529").pn.	USPAT	OR	OFF	2006/02/02 19:17
S75	1	S74 and (output with function)	USPAT	OR	OFF	2006/02/02 19:24
S76	2	S74 and (output same function)	USPAT	OR	OFF	2006/02/02 19:24
S77	2	("6009251" or "6134705").pn.	USPAT	OR	OFF	2006/06/06 17:06
S78	36	(data adj structure) same (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/03 16:59
S79	1	707/104.1 and S78	USPAT	OR	OFF	2006/02/03 16:59

EAST Search History

S80	233	(stor\$4 same based) and (parameter same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/03 16:59
S81	1	707/104.1 and S80	USPAT	OR	OFF	2006/02/03 17:00
S82	0	707/104.1.ccls. and S80	USPAT	OR	OFF	2006/02/03 17:00
S83	0	707/104.1.ccls. and S80	US-PGPUB; USPAT	OR	OFF	2006/02/03 17:00
S84	1	707/104.1.ccls. and S78	US-PGPUB; USPAT	OR	OFF	2006/02/03 17:00
S85	0	"20030217026"	USPAT	OR	OFF	2006/06/05 08:25
S86	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2006/06/05 08:25
S87	1	("5956257").pn.	USPAT	OR	OFF	2006/06/06 17:06
S88	1	"6665678".pn.	USPAT	OR	OFF	2006/06/07 13:48
S89	1	"6954910".pn.	USPAT	OR	OFF	2006/07/04 10:03
S90	1	"6574779".pn.	USPAT	OR	OFF	2006/07/04 10:03
S91	388	sub\$1net\$5 and (output with functions) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:29
S92	14	sub\$1net\$5 and (database with index) and (output with functions) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:35
S93	96	sub\$1net\$5 and (database with index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:45
S94	2	sub\$1net\$5 same (database with index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:36
S95	73	sub\$1net\$5 and (database with index) and output and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:45
S96	66	sub\$1net\$5 and (database with index) and output and functions and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:45
S97	33	sub\$1net\$5 and (database with index) and (output same functions) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:46
S98	48	((ic near2 design) with database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:18
S99	0	((ic near2 design) with database with index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:07
S100	1	((ic near2 design) with database same index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:07
S101	1	((ic near2 design) with database same index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:32

EAST Search History

S10 2	0	((IC adj design) with (database same index)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 3	0	((IC adj design) same (database same index)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 4	62	((IC adj design) same database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 5	0	((IC adj design) with index same database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 6	0	((IC adj design) with relational with database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:34
S10 7	1	"6931572".pn.	USPAT	OR	OFF	2006/07/05 16:57
S10 8	8	((standard adj cell) or macro or primitive or sub\$1circuit) same (database library or files or stor\$4) same (look\$1up\$1table) and @ad < "20020131"	USPAT	OR	OFF	2006/07/10 18:30
S10 9	3	((standard adj cell) or macro or primitive or sub\$1circuit) and (database library or files or stor\$4) same (look\$1up\$1table) and (circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2006/07/10 18:34
S11 0	1	"5987086".pn.	USPAT	OR	OFF	2006/07/10 18:55
S11 1	1	"5610829".pn.	USPAT	OR	OFF	2006/07/10 18:55